ANCAP Safety Rating: MINI COOPER HATCH (Apr 2014 onwards)





Frontal offset test at 64km/h

This ANCAP safety rating applies to:

| Make / Model | Mini Cooper Hatch | | |
|--------------|-------------------|--|--|
| Year Range | Apr 2014 onwards | | |
| Variant(s)* | 3 door hatch | | |
| Vehicle Type | Small Car | | |
| | | | |

The Mini Cooper was introduced in Australia and New Zealand in 2014. This ANCAP rating applies to the 3-door hatch.

Dual frontal, side chest and side head airbags (curtains) are standard. Electronic Brake Distribution (EBD) and Emergency Brake Assist (EBA) are also standard. Autonomous Emergency Braking (AEB). reversing collision avoidance and tyre pressure monitoring are optional. Advanced seat belt reminders are fitted to all seats.

In the side impact crash test driver chest and abdomen protection was marginal. The overall score of 31.78 was insufficient for a 5-star ANCAP rating (32.5 required).

Injury Outcomes.

Frontal Offset

Driver



Passenger

Side Impact & Pole#

GOOD ACCEPTABLE MARGINAL



Whiplash Protection

Driver



Head protection only.

Test Results Summary.

| Airbags | Dual Frontal, Side, Head |
|-----------------------|--------------------------|
| Frontal Offset Test | 14.60 (out of 16) |
| Side Impact Test | 12.19 (out of 16) |
| Pole Test | 2 (out of 2) |
| Whiplash Protection | Good |
| Pedestrian Protection | Acceptable |
| ESC | Standard |
| Seat Belt Reminders | 3.0 (out of 3) |
| Overall Score | 31.78 (out of 37) |
| ANCAP Safety Rating | *** |
| Rating Year^ | 2014 |
| | |

Occupant Protection.

Frontal Offset Test

Each body region is scored out of 4 points

| Head / neck: | 4.00 points |
|--------------|-------------|
| Chest: | 3.31 points |
| Upper legs: | 4.00 points |
| Lower legs: | 3.29 points |

The passenger compartment held its shape well in the offset test. Pedal and steering wheel displacements were well controlled. Driver and passenger contact with the airbags was stable. All doors remained closed during the crash.

Side Impact Test

Each body region is scored out of 4 points

Head: 4.00 points
Chest: 2.00 points
Abdomen: 2.35 points
Pelvis: 3.84 points

In the side impact test forces were transmitted to parts of the dummy which are not representative of a human body, reducing the load on the ribs. Accordingly the maximum penalty of 2 points was applied. This resulted in a chest rating of marginal. Loads on the abdomen also indicated marginal protection.

Pole Test

Scored out of 2 points

Score: 2.00 points

The vehicle was eligible for a side pole test because it has side curtain airbags. The vehicle scored the maximum 2 points for head protection in this test.

Whiplash Protection Test

Whiplash protection is assessed to the RCAR Protocol

Geometric test: Good Dynamic test: Good Overall whiplash rating: Good

Page 1 of 3 ancap.com.au

ANCAP Safety Rating: MINI COOPER HATCH (Apr 2014 onwards)




Pedestrian Protection.

Pedestrian Test

Scored 24.05 out of 36 points: Acceptable
Adult & child head impacts: 18.05 points
Upper leg impacts: 0.00 points
Lower leg impacts: 6.00 points

The bumper provided good protection to pedestrians' legs and scored maximum points. However, the front edge of the bonnet was poor at all test locations and scored no points. The active bonnet was tested in the deployed (raised) position and results were predominantly good or adequate. (Tested by Euro NCAP v7.0)



Score Deductions.

Deductions from frontal offset test scores
Head / neck: No deductions
Chest: No deductions
Upper legs: No deductions
Lower legs: No deductions

Deductions from side impact test score

Chest: Excessive T12 load: 2 point deduction .

Deductions from pole test score

Head: No deductions.

Safety Features & Technologies.

Descriptions of each of these safety features and safety assist technologies (SAT) and detail on fitting requirements for each star rating level can be found at **ancap.com.au**.

| Safety Feature / Safety Assist Technology | Availability |
|---|--------------|
| Seat belts (three-point) for all forward-facing seats | S |
| Seat belt pretensioners (front) | S |
| Seat belt pretensioners (rear outboard) | X |
| Intelligent seat belt reminder (driver) | S |
| Intelligent seat belt reminder (front passenger) | S |
| Intelligent seat belt reminder (2 nd row seats) | S |
| Airbag - Front (driver) | S |
| Airbag - Front (passenger) | S |
| Airbag - Side, chest protection (front seats) | S |
| Airbag - Side, chest protection (2 nd row seats) | X |
| Airbag - Side, head protection (front seats) | S |
| Airbag - Side, head protection (2 nd row seats) | S |
| Airbag - Knee (driver) | X |
| Airbag - Knee (front passenger) | X |
| Head restraints for all seats | S |
| Adaptive cruise control (ACC) | X |
| Antilock braking system (ABS) | S |
| Autonomous emergency braking (AEB) | 0 |
| Electronic brakeforce distribution (EBD) | S |
| Electronic stability control (ESC) | S |
| Emergency brake assist (EBA) | S |
| Lane support system (LSS) | X |
| Daytime running lights (DRL) | S |
| Hill launch assist | X |
| Reversing collision avoidance | 0 |
| Tyre pressure monitoring system (TPMS) | 0 |

These specifications are subject to change. Please check with the manufacturer for the latest specifications.

- **S** = Standard on all variants.
- **O** = Optional on base variant. May be standard on higher variants.
- V = Not available on base variant but standard or optional on higher variants.
- **X** = Not available on any variant.
- **E** = Available in Europe / USA but not available on any Australasian variant.

Page 2 of 3 ancap.com.au

ANCAP Safety Rating: MINI COOPER HATCH (Apr 2014 onwards)



Injury Values & Measurements.

| Body Region | Frontal offset test at 64 km/h (v6) | | Side impact test at 50 km/h (v6) |
|------------------------------|--|-------------|-------------------------------------|
| | Driver | Passenger | Driver |
| Head | | | |
| HIC | 280.00 | 368.00 | 87.00 |
| Acceleration (g for 3ms) | 40.40 | 50.80 | 30.10 |
| Neck | | | |
| Shear (kN) | 0.39 | 0.35 | - |
| Tension (kN) | 1.51 | 0.72 | - |
| Extension (Nm) | 8.10 | 7.90 | - |
| Chest | | | |
| Acceleration (g for 3ms) | - | - | - |
| Compression (mm) | 26.85 | 20.35 | 15.32 |
| Viscous criterion (m/s) | 0.10 | 0.05 | 0.08 |
| Abdomen | | | |
| Force (kN) | - | - | 1.62 |
| Pelvis | | | |
| Force (kN) | - | - | 3.12 |
| Upper legs | | | |
| Femur force left (kN) | 0.57 | 0.30 | |
| Femur force right (kN) | 0.29 | 0.32 | |
| Knee displacement left (mm) | 1.05 | 0.29 | |
| Knee displacement right (mm) | 0.00 | 1.22 | |
| Lower legs | | | |
| Force left (kN) | 2.01 | 1.48 | |
| Force right (kN) | 1.98 | 1.27 | |
| Index (upper / lower) left | 0.44 / 0.47 | 0.32 / 0.22 | |
| Index (upper / lower) right | 0.56 / 0.46 | 0.28 / 0.18 | |
| Intrusion Measurements* | | | |
| Steering column | | | |
| Forward (mm) | -61 | | |
| Upward (mm) | -8 | | |
| Sideways (mm) | 8 | - | |
| Pedals | | | |
| Brake - rearward (mm) | 52 | • | |

16

18

Assessment Details.

Brake - upward (mm)

Rearward (mm)

A-Pillar

| Maacaaillelli Detalla | • |
|---------------------------|---------------------------|
| Tested Make / Model | Mini Cooper Hatch 1.5 RHD |
| Tested Vehicle(s) Built | 2014 |
| Tested Body Type | 3 Dr Hatch |
| Tested Vehicle Kerb Weigh | t 1090 kg |
| Tested Vehicle Engine | 1.5 |
| Tested By | Euro NCAP |
| Assessed By | ANCAP |
| Document Reference | MINI14 |
| Rating Published | April 2015 |
| Document created/revised | 24/3/32015 |
| | |



Page 3 of 3 ancap.com.au

^{*} ANCAP safety ratings do not automatically extend to variants that have different body styles, engine configurations, driven wheels or occupant restraint systems (e.g. fewer airbags). In these cases, ANCAP considers technical evidence submitted by manufacturers before deciding on extending a rating to additional variants of a model. For further information about the application of ANCAP safety ratings to model variants, see the ANCAP Variant Policy.

[^] The Rating Year denotes the year requirements against which a vehicle has been assessed. The Rating Year is determined by ANCAP and may be based on the year in which a new vehicle model is first launched into the Australian and/or New Zealand markets; the year in which the vehicle was tested (if tested by Euro NCAP); or, for vehicles which hold an existing ANCAP safety rating, the year in which the rating was updated (or earlier applicable year).