

Overall score

Overall Evaluation

17.76 out of 34

Variant: 5 door hatch. Kerb weight: 1110 kg Vehicles built: 1997 Engine: 4 Cyl. 1.6 litre. Category: SMALL CAR Tested by EuroNCAP

Important note: The seat belt system of the Peugeot 306 was upgraded in 1998. The current Australian vehicle is likely to provide different levels of protection to those described on this page.

Safety features

A driver's airbag is standard equipment in Australia. A passenger airbag is standard on some variants and optional on others. Side airbags are also available.

The front seat belt buckles are mounted on the seats and the upper anchorages are adjustable. These features improve the fit of the seat belt. The front seat belts have pretensioners to reduce slack in the event of a severe crash.

OVERALL EVALUATION : 3 Stars

The PEUGEOT 306 perform marginally in the offset crash test (score 7.72 out of 16). The passenger compartment was moderately deformed. There was a moderate risk serious chest injury for the driver.

The vehicle performed better in the side impact crash (score 10.04 out of 16) but there was a moderate risk of life threatening chest injury for the driver.

FRONTAL OFFSET CRASH TEST

The passenger compartment was moderately deformed in the offset crash test. The brake pedal moved rearwards 13cm. The roof buckled upwards above the driver and the width of the driver's doorway shortened by 17cm. All doors remained closed during the crash. After the crash high manual effort was required to open the driver's door.

The airbag cushioned the head of the driver and protection was good. The head started to roll off the side of the airbag but recovered. The passenger's head did not hit anything.

SIDE IMPACT CRASH TEST

The centre pillar and the side doors were pushed inwards moderately.

The driver's chest hit a hard region of the door trim and protection was marginal. The abdomen hit the arm rest.

The vehicle was not eligible for a Pole Impact Test since it did not have head-protecting side airbags. This test can earn eligible vehicles an extra two points, giving a maximum possible overall score of 34 points.



Offset crash test at 64km/h

INJURY MEASUREMENTS

Refer to the information sheet "How the test are done"		Offset Crash Test at 64km/h		Side Impact Crash Test at 50km/h
		Driver	Passn	Driver
Head HIC		479	277	156.2
Acceleration (g for 3ms)		56	41	58
Neck - Shear (kN)		0	0	-
Tension (kN)		0	0	-
Extension (Nm)		14	21	-
Chest Accln (g for 3ms)		41	39	-
Compression (mm)		34	32	39
Viscous criterion (m/s)		0.3	0.1	0.6
Abdomen - Force (kN)		-	-	1.7
Pelvis - Force (kN)	-	-	3.52
Upper legs Force	Left	5.2	0	
(kN)	Right	0	0	
Knee displ (mm)	Left	1.16	0.4	
	Right	0.7	0.4	
Lower legs Force Left		1.4	1.1	
(kN)	Right	0.9	0.6	
Index (Upper/Low)	Left	0.5/0.5	0.31/0.24	
	Right	0.5/0.4	0.26/0.13	

Modifiers for offset test scores

Head Chest Upper leg Foot score Steering col. movement A-pillar movement Variable & conc. loading Brake pedal movement 1 pt penalty 1.46 pt penalty 2 pt penalty L & R 2.96 score

PEDESTRIAN RATING: 🏋



August 2000 Published by New Car Assessment Program PO Box 1555 Canberra ACT Australia 2601 www.nrma.com.au 306_00a.doc revised 26 Nov 2001