ANCAP Safety Rating: TOYOTA RAV4 (Dec 2015 onwards)



Dual Frontal, Side, Head, Knee

DRAFT

Confidential until published by ANCAP

Airbags

Frontal Offset Test Side Impact Test ary.



Frontal offset test at 64km/h

This ANCAP safety rating applies to:			
Make / Model	Toyota RAV4		
Year Range	October 2015 onwards		
Variant(s)*	Applies to all variants		
Vehicle Type	Medium SUV		

This updated Toyota RAV4 was introduced in Australia and New Zealand in December 2015. This ANCAP safety rating applies to all variants.

Dual frontal, side chest and side head airbags (curtains) and a driver knee airbag are standard. Antilock brakes (ABS), electronic brake distribution (EBD) and electronic stability control (ESC) are also standard. Advanced seat belt reminders are fitted to all seats.

In the offset crash test driver head, chest and leg protection was acceptable. Passenger leg protection was acceptable. In the side impact crash test all driver injury results were good. Driver head protection in the side pole test was good.

Injury Outcomes.

Frontal Offset Driver Passenger

Whiplash Protection





Side Impact & Pole#

 $13.56 \hspace{0.2cm} \text{(out of 16)}$

 $16.00 \hspace{0.2cm} (\text{out of } 16)$

Occupant Protection.

Frontal Offset Test

Each body region is scored out of 4 points

Head / neck: 3.00 points
Chest: 3.85 points
Upper legs: 4.00 points
Lower legs: 2.71 points

The passenger compartment held its shape well in the offset test. Pedal and steering wheel displacements were well controlled. The driver airbag allowed the head to contact the steering wheel lightly and a point was deducted. All doors remained closed during the crash. After the crash all doors could be opened with normal effort.

Side Impact Test

Each body region is scored out of 4 points

Head: 4.00 points
Chest: 4.00 points
Abdomen: 4.00 points
Pelvis: 4.00 points

Good protection was provided for the driver in the side impact test. The side airbags performed well.

Pole Test

Scored out of 2 points

Score: 2.00 points

The vehicle was eligible for a side pole test because it has side curtain airbags. The vehicle scored the maximum 2 points for head protection in this test.

Whiplash Protection Test

Whiplash protection is assessed to the RCAR Protocol

Geometric test: Good Dynamic test: Good Overall whiplash rating: Good

Pole Test 2 (out of 2)

Whiplash Protection Good

Pedestrian Protection Acceptable

ESC Standard

Seat Belt Reminders 3.0 (out of 3)

Overall Score 34.56 (out of 37)

ANCAP Safety Rating ★★★★

Rating Year^ 2015

[#] Head protection only.

ANCAP Safety Rating: TOYOTA RAV4 (Dec 2015 onwards)




Pedestrian Protection.

Pedestrian Test

Scored out of 36 points

Adult & child head impacts: 17.99 points Upper leg impacts: 0.00 points Lower leg impacts: 6.00 points

This vehicle scored 23.99 out of 36 points (Acceptable). The bumper provided good protection to pedestrians' legs in all areas tested and scored maximum points. However, the front edge of the bonnet scored no points, offering poor protection to the pelvis area. The bonnet offered predominantly fair protection for the head of a struck pedestrian, with some good protection in the areas where a child's head and an adult's head might strike. (Tested by Euro NCAP v6)



Score Deductions.

Deductions from frontal offset test scores

Head / neck: Airbag bottomed out: 1 point deduction

Chest: No deduction Upper legs: No deduction Lower legs: No deduction

Deductions from side impact test score

Chest: No deductions for side impact test

Deductions from pole test score

Head: No deductions for pole test

Safety Features & Technologies.

Descriptions of each of these safety features and safety assist technologies (SAT) and detail on fitting requirements for each star rating level can be found at **ancap.com.au**.

Safety Feature / Safety Assist Technology	Availability
Seat belts (three-point) for all forward-facing seats	S
Seat belt pretensioners (front)	S
Seat belt pretensioners (rear outboard)	X
Intelligent seat belt reminder (driver)	S
Intelligent seat belt reminder (front passenger)	S
Intelligent seat belt reminder (2 nd row seats)	S
Airbag - Front (driver)	S
Airbag - Front (passenger)	S
Airbag - Side, chest protection (front seats)	S
Airbag - Side, chest protection (2 nd row seats)	X
Airbag - Side, head protection (front seats)	S
Airbag - Side, head protection (2 nd row seats)	S
Airbag - Knee (driver)	S
Airbag - Knee (front passenger)	X
Head restraints for all seats	S
Adaptive cruise control (ACC)	V
Adaptive front lighting system	\mathbf{V}
AEB (Autonomous emergency braking) - city	E
AEB - Interurban	E
AEB - Vulnerable road user	E
Antilock braking system (ABS)	S
Automatic headlights	\mathbf{V}
Automatic high beam	\mathbf{v}
Blind spot monitoring	\mathbf{V}
Daytime running lights (DRL)	S
Electronic brakeforce distribution (EBD)	S
Electronic stability control (ESC)	S
Emergency brake assist (EBA)	S
Hill launch assist	S
Lane support system (LSS)	V
Precrash systems	V
Reversing collision avoidance	S
Speed assistance - automatic speed limiting (ISA)	X
Speed assistance - manual speed limiting	X
Speed assistance - speed limit information	E
Tyre pressure monitoring system (TPMS)	S

These specifications are subject to change. Please check with the manufacturer for the latest specifications.

S = Standard on all variants.

O = Optional on base variant. May be standard on higher variants.

V = Not available on base variant but standard or optional on higher variants.

X = Not available on any variant.

E = Available in Europe / USA but not available on any Australasian variant.

Page 2 of 3 Ancan com all

ANCAP Safety Rating: TOYOTA RAV4 (Dec 2015 onwards)



Injury Values & Measurements.

Body Region	Frontal offset test at 64 km/h (v6)		Side impact test at 50 km/h (v6)	
	Driver	Passenger	Driver	
Head				
HIC	408.00	289.00	39.00	
Acceleration (g for 3ms)	46.60	47.70	17.90	
Neck				
Shear (kN)	0.47	0.65	-	
Tension (kN)	1.39	0.81	-	
Extension (Nm)	7.50	32.50	-	
Chest				
Acceleration (g for 3ms)	-	-	-	
Compression (mm)	23.07	17.47	9.66	
Viscous criterion (m/s)	0.07	0.05	0.03	
Abdomen				
Force (kN)	-	-	0.40	
Pelvis				
Force (kN)	-	-	1.11	
Upper legs				
Femur force left (kN)	1.55	1.01		
Femur force right (kN)	1.61	0.50		
Knee displacement left (mm)	0.20	2.96		
Knee displacement right (mm)	1.57	0.12		
Lower legs				
Force left (kN)	2.21	2.41		
Force right (kN)	3.93	1.56		
Index (upper / lower) left	0.33 / 0.23	0.27 / 0.23		
Index (upper / lower) right	0.33 / 0.41	0.30 / 0.35		
Intrusion Measurements ⁺				
Steering column				
Forward (mm)	25	-		
Upward (mm)	0	-		
Sideways (mm)	9	-		
Pedals	-			
Brake - rearward (mm)	72	_		
Brake - upward (mm)	18	_		
A-Pillar				
Forward (mm)	2	_		

 $[\]mbox{+}$ Steering column and pedal movements are measured relative to the driver's seat.

[^] The Rating Year denotes the year requirements against which a vehicle has been assessed. The Rating Year is determined by ANCAP and may be based on the year in which a new vehicle model is first launched into the Australian and/or New Zealand markets; the year in which the vehicle was tested (if tested by Euro NCAP); or, for vehicles which hold an existing ANCAP safety rating, the year in which the rating was updated (or earlier applicable year).

T4-3 M-1 / M-3-1	T DAV/4	
Tested Make / Model	Toyota RAV4	
Tested Vehicle(s) Built	2013	
Tested Body Type	Wagon	
Tested Vehicle Kerb Weight	1680 kg	
Tested Vehicle Engine	2.2 DIESEL	
Tested By	Euro NCAP	
Assessed By	ANCAP	
Document Reference	rav4_16	
Rating Published	December 2015	
Document created/updated	4/12/2015	



Page 3 of 3 and an analysis analysis and an analysis and an analysis and an analysis and an an

^{*} ANCAP safety ratings do not automatically extend to variants that have different body styles, engine configurations, driven wheels or occupant restraint systems (e.g. fewer airbags). In these cases, ANCAP considers technical evidence submitted by manufacturers before deciding on extending a rating to additional variants of a model. For further information about the application of ANCAP safety ratings to model variants, see the ANCAP Variant Policy.